



**MODEL- DSC 450 COOLING**



**MODEL- DSC 450 COOLING**



ENTERING AIR TEMPERATURES		78 DEG. F (Db)	67 DEG. F (Wb)
WATER FLOW	TOTAL CAPACITY	SENSIBLE CAPACITY	WATER PRESSURE DROP
GPM	BTU/HR	BTU/HR	FT
0.5	5,619.00	5,619.00	0.10
0.75	6,766.00	6,766.00	0.20
1	8,004.00	7,633.00	0.4
1.25	9,066.00	7,996.00	0.6
1.5	9,989.00	8,322.00	0.8
1.75	10,803.00	8,618.00	1
2	11,529.00	8,886.00	1.3
2.25	12,180.00	9,128.00	1.60
2.5	12,767.00	9,349.00	2
2.75	13,299.00	9,550.00	2.3
3	13,782.00	9,735.00	2.7
3.25	14,222.00	9,904.00	3.1
3.5	14,624.00	10,060.00	3.5
3.75	14,993.00	10,204.00	4
4	15,324.00	10,334.00	4.5
4.25	15,598.00	10,442.00	5.00
4.5	15,852.00	10,542.00	5.50
4.75	16,087.00	10,635.00	6
5	16,306.00	10,722.00	6.60

Technical data contained herein is based on laboratory findings and made available as a guide for Design Engineers. Information is given gratis and seller assumes no obligation or liability for results obtained.