



MODEL- (D)LE 1200 COOLING



MODEL- (D)LE 1200 COOLING



ENTERING AIR TEMPERATURES

78 DEG. F (Db)

67 DEG. F (Wb)

WATER FLOW		TOTAL CAPACITY	SENSIBLE CAPACITY	WATER PRESSURE DROP
GPM		BTU/HR	BTU/HR	FT
0.5		7,840.00	7,840.00	0.30
0.75		10,930.00	10,930.00	0.50
1		13,930.00	13,930.00	0.90
1.25		16,521.00	16,521.00	1.30
1.5		18,797.00	18,797.00	1.80
1.75		20,818.00	19,891.00	2.40
2		22,633.00	20,509.00	3.00
2.25		24,280.00	21,075.00	3.70
2.5		25,789.00	21,611.00	4.40
2.75		27,180.00	22,115.00	5.30
3		28,469.00	22,587.00	6.10
3.25		29,670.00	23,029.00	7.10
3.5		30,792.00	23,445.00	8.10
3.75		31,843.00	23,837.00	9.10
4		32,767.00	24,184.00	10.20
4.25		33,627.00	24,509.00	11.30
4.5		34,436.00	24,816.00	12.50
4.75		35,199.00	25,107.00	13.80
5		35,920.00	25,382.00	15.10

Technical data contained herein is based on laboratory findings and made available as a guide for Design Engineers. Information is given gratis and seller assumes no obligation or liability for results obtained.