



MODEL- (D)LE 800 COOLING



MODEL- (D)LE 800 COOLING



ENTERING AIR TEMPERATURES

78 DEG. F (Db)

67 DEG. F (Wb)

WATER FLOW		TOTAL CAPACITY	SENSIBLE CAPACITY	WATER PRESSURE DROP
GPM		BTU/HR	BTU/HR	FT
0.5		7,229.00	7,229.00	0.20
0.75		9,506.00	9,506.00	0.40
1		11,726.00	11,726.00	0.70
1.25		13,596.00	12,968.00	1.00
1.5		15,210.00	13,519.00	1.40
1.75		16,632.00	14,016.00	1.90
2		17,901.00	14,477.00	2.40
2.25		19,046.00	14,896.00	2.90
2.5		20,086.00	15,281.00	3.50
2.75		21,035.00	15,636.00	4.20
3		21,905.00	15,964.00	4.90
3.25		22,705.00	16,268.00	5.60
3.5		23,442.00	16,550.00	6.40
3.75		24,124.00	16,812.00	7.20
4		24,726.00	17,046.00	8.10
4.25		25,261.00	17,254.00	9.00
4.5		25,758.00	17,488.00	10.00
4.75		26,222.00	17,630.00	11.00
5		26,655.00	17,801.00	12.00

Technical data contained herein is based on laboratory findings and made available as a guide for Design Engineers. Information is given gratis and seller assumes no obligation or liability for results obtained.