



**MODEL- (D)LE 1000 COOLING**



**MODEL- (D)LE 1000 COOLING**



**ENTERING AIR TEMPERATURES**

**78 DEG. F (Db)**

**67 DEG. F (Wb)**

WATER FLOW		TOTAL CAPACITY	SENSIBLE CAPACITY	WATER PRESSURE DROP
GPM		BTU/HR	BTU/HR	FT
0.5		7,764.00	7,764.00	0.30
0.75		10,695.00	10,695.00	0.50
<b>1</b>		13,508.00	13,508.00	0.90
1.25		15,917.00	15,917.00	1.30
1.5		18,018.00	16,920.00	1.80
1.75		19,879.00	17,557.00	2.40
<b>2</b>		21,548.00	18,143.00	3.00
2.25		23,062.00	18,691.00	3.70
2.5		24,446.00	19,198.00	4.50
2.75		25,720.00	19,669.00	5.30
<b>3</b>		26,897.00	20,108.00	6.10
3.25		27,989.00	20,519.00	7.10
3.5		29,004.00	20,904.00	8.10
3.75		29,950.00	21,264.00	9.10
<b>4</b>		30,784.00	21,585.00	10.20
4.25		31,548.00	21,880.00	11.40
4.5		32,264.00	22,157.00	12.60
4.75		32,935.00	22,419.00	13.80
<b>5</b>		33,565.00	22,666.00	15.10

Technical data contained herein is based on laboratory findings and made available as a guide for Design Engineers. Information is given gratis and seller assumes no obligation or liability for results obtained.