



MODEL- (D)LE 450 COOLING



MODEL- (D)LE 450 COOLING



ENTERING AIR TEMPERATURES		78 DEG. F (Db)	67 DEG. F (Wb)
WATER FLOW	TOTAL CAPACITY	SENSIBLE CAPACITY	WATER PRESSURE DROP
GPM	BTU/HR	BTU/HR	FT
0.5	5,973.00	5,973.00	0.10
0.75	7,276.00	7,276.00	0.30
1	8,694.00	7,874.00	0.50
1.25	9,892.00	8,292.00	0.70
1.5	10,926.00	8,669.00	0.90
1.75	11,831.00	9,003.00	1.20
2	12,629.00	9,302.00	1.60
2.25	13,339.00	9,571.00	1.90
2.5	13,972.00	9,813.00	2.30
2.75	14,539.00	10,032.00	2.80
3	15,050.00	10,231.00	3.20
3.25	15,511.00	10,412.00	3.70
3.5	15,929.00	10,577.00	4.20
3.75	16,309.00	10,728.00	4.80
4	16,646.00	10,863.00	5.30
4.25	16,926.00	10,975.00	5.90
4.5	17,184.00	11,079.00	6.50
4.75	17,421.00	11,175.00	7.20
5	17,641.00	11,264.00	7.90

Technical data contained herein is based on laboratory findings and made available as a guide for Design Engineers. Information is given gratis and seller assumes no obligation or liability for results obtained.